

Abstracts:

1. Kempny A, Diller G-P, Stenzel MA, Baumgartner H, Interventricular interrelationship in adults patients with tetralogy of Fallot. A combined speckle tracking and MRI study, Madrid 09.-12.12.2009 Euroecho
2. Orwat St, Kempny A, Diller G-P, Stenzel MA, Baumgartner H, Interventrikuläre Interaktion bei erwachsenen Patienten mit Fallot`scher Tetralogie – eine kombinierte MRT und Speckle-tracking Studie, Weimar 05.-06.10.09 41. Jahrestagung der Deutschen Gesellschaft für Pädiatrische Kardiologie
3. Kempny A, Stenzel MA, Diller G-P, Reinecke H, Mascherbauer J, Baumgartner H, 2D strain detects myocardial impairment in aortic stenosis earlier than ejection fraction and allows evaluation of the impact of transcatheter aortic valve implantation on myocardial function, Madrid 09.-12.12.2009 Euroecho
4. Kempny A, Stenzel MA, Diller G-P, Reinecke H, Mascherbauer J, Baumgartner H, The impact of transcatheter aortic valve implantation on myocardial function in high risk patients is better reflected by longitudinal strain than by left ventricular ejection fraction, Barcelona 29.08. – 02.09.2009 ESC Congress 2009
5. Kempny A, Diller G-P, Orwat St, Kaleschke G, Kerckhoff G, Schmidt R, Eine gestörte linksventrikuläre Funktion bei Patienten mit schwerer Aortenklappenstenose lässt sich eher mit 2D Strain als mit der Bestimmung der Ejektionsfraktion nachweisen, Dresden 08.10. - 10.10.09 33 . Herbsttagung Dresden der DGK
6. Orwat St, Kempny A, Seifarth H, Kerckhoff G, Diller G-P, Baumgartner H, Seltene Ursache einer signifikanten Rechtsherzbelastung bei einer asymptomatischen Patientin, Dresden 08.10. - 10.10.09 33 . Herbsttagung Dresden der DGK
7. Kempny A, Diller G-P, Stenzel MA, Baumgartner H, Interventrikuläre Interaktion bei erwachsenen Patienten mit Zustand nach Korrektur einer Fallotschen Tetralogie. Eine kombinierte Speckle Tracking and MRI Studie, Dresden 08.10. - 10.10.09
8. Kempny A, Diller G-P, Orwat St, Kaleschke G, Kerckhoff G, Schmidt R, Radke R, Baumgartner H. Left ventricular impairment and interventricular interrelationship in adult patients with repaired tetralogy of Fallot - A combined echo speckle tracking and CMRI study. Vortrag. ESC Congress September 2010, Stockholm Schweden
9. Kempny A, Diller G-P, Orwat St, Kaleschke G, Kerckhoff G, Schmidt R, Radke R, Baumgartner H, Longitudinal 2D strain is reduced in adults with systemic right ventricle and is related to subpulmonary ventricular function and to symptomatic status. Poster. ESC Congress September 2010, Stockholm Schweden

10. Kempny A, Diller G-P, Alonso-Gonzalez R, Radojevic J, Liodakis E, Orwat St, Dimopoulos K, Swan L, Li W, Gatzoulis M, Baumgartner H, Left Ventricular Global Systemic Strain is Reduced in Adults with Tetralogy of Fallot, Relates to Right Ventricular Enlargement and Predicts Adverse Clinical Outcome. Vortrag, American Heart Association Scientific Sessions 2010, November 2010, Chicago, USA
11. Kempny A, Diller G-P, Orwat St, Kaleschke G, Kerckhoff G, Schmidt R, Mascherbauer J, Reinecke H, Baumgartner H. Impact of transcatheter aortic valve implantation and conventional surgical aortic valve replacement on systolic left and right ventricular function. Vortrag. EuroEcho, Congress of the European Association of Echocardiography, Dezember 2010, Kopenhagen, Dänemark
12. Kempny A, Diller G-P, Orwat St, Kaleschke G, Kerckhoff G, Schmidt R, Radke R, Baumgartner H, Longitudinal 2D strain is reduced in adults with systemic right ventricle and is related to subpulmonary ventricular function and to symptomatic status. Poster. . EuroEcho, Congress of the European Association of Echocardiography, Dezember 2010, Kopenhagen, Dänemark
13. Kempny A, Diller GP, Orwat ST, Kaleschke G, Kerckhoff G, Schmidt R, Radke R, Baumgartner H. Longitudinal 2D strain is reduced in adults with systemic right ventricle and is related to subpulmonary ventricular function and to symptomatic status. European Society of Cardiology Congress 2010. Stockholm. Schweden.
14. Inuzuka R, Diller GP, Borgia F, Alonso-Gonzalez R, Tay E, Silva M, Dimopoulos K, Gatzoulis MA. Prognostication in adults congenital heart disease: comparative importance and additive value of exercise parameters. European Society of Cardiology Congress 2010. Stockholm. Schweden.
15. Alonso-Gonzalez R, Petrarco R, Prapa M, Karaoli E, Diller GP, Inuzuka R, Swan L, Gatzoulis MA, Dimopoulos K. Neighbourhood socioeconomic context and survival in adult congenital heart disease population. European Society of Cardiology Congress 2010. Stockholm. Schweden.
16. Borgia F, Diller GP, Inuzuka R, Silva M, Wustmann K, Alonso-Gonzalez R, Swan L, Dimopoulos K, Gatzoulis MA. Pulmonary restriction in adults with congenital heart disease relates to complexity of underlying cardiac defect, previous surgery and outcome. European Society of Cardiology Congress 2010. Stockholm. Schweden.

17. Gabriel HM, Humenberger M, Rosenhek R, Diller GP, Binder TH, Probst P, Maurer G, Baumgartner H. Predictors of unfavorable outcome after atrial septal defect closure in adults. European Society of Cardiology Congress 2010. Stockholm. Schweden.
18. R.M. Radke, G.-P. Diller, M. Duck, S. Orwat, T. Thum, H. Baumgartner: Assessment of endothelial function, numbers of circulating endothelial progenitor cells, soluble adhesion molecules and serum levels of inflammatory markers suggest the absence of relevant endothelial dysfunction in contemporary patients with repaired coarctation. 59th Annual Scientific Session, American College of Cardiology, Atlanta, March 14-16 2010, J. Am. Coll. Cardiol. 2010;55;A40.E380
19. Klar U, Harald H, Pernicka E, Bergler-Klein J, Heger M, Mascherbauer J, Rosenhek R, Binder, T, Maurer G, Baumgartner H, The Mitral Valve in 2010, Predictive value of serial brain natriuretic peptide measurement in asymptomatic organic mitral regurgitation
20. Mascherbauer J, Pibarot P, Clavel M.A., Mundigler G, Pernicka E, Fuchs C, Dumesnil J.C, Burwash I, Baumgartner H, Bergler-Klein J, Poster Session Clinical Advances in Aortic Valve Disease (QR 3071*)